Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5

TOP SECRET

OUT 78646

OPERATION IMMEDIATE

25X1A 25X1A

OPIN [redacted] CITE [redacted] ZERO EIGHT ZERO EIGHT

25X1A

[redacted]

25X1A

[redacted]

B. 28 JULY 59

25X1A

[redacted]

D. REQUEST VERTICAL COVERAGE FOLG. FLT LINES: PTS C TO D, E TO F, G TO H, I TO J, K TO L, M TO N, O TO P, Q TO R, S TO T, U TO V, W TO X, Y TO Z, AA TO BB, CC TO DD, EE TO FF, GG TO HH.

25X1A

[redacted] OPERATION AS FOLLOWS: ON (MODE2) PT C, OFF F; ON (MODE ONE) G, OFF P; (MODE 2) ALL FOLG PTS) ON Q, OFF R; ON S, OFF T; ON U, OFF V; ON W, OFF Z; ON AA, OFF HH.

E. (1) CONTROL TIME IS 0725Z AT POINT C.

25X1A

(2) SELECT EMERGENCY AIRFIELDS IAW [redacted] 8086.

25X1A 25X1A

(3) CONTRAIL TOPS [redacted] 37000 AT [redacted] RISING TO 40000 AT POINT D, 41500 AT POINTS F, U, AND Z. HIGHEST [redacted] 42000 AT POINT

25X1A

Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5

Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5

C.	3041Ø3Ø1ØE	Ø9Ø2	61	1
D.	3131Ø3Ø22E	Ø9Ø2	61	2
E.	3113Ø3Ø36E	Ø9Ø2	61	2
F.	3Ø28Ø3Ø12E	Ø9Ø2	61	1
G.	3ØØØØ3Ø43E	Ø9Ø2	61	1
H.	31Ø3Ø3245E	Ø9Ø2	61	2
I.	31Ø3Ø3310E	Ø9Ø2	61	2
J.	3116Ø3356E	Ø9Ø2	61	2
K.	3Ø44Ø34ØØE	Ø9Ø2	61	2
L.	3Ø2ØØ32ØØE	Ø9Ø2	61	1
M.	3Ø1ØØ3128E	Ø9Ø2	61	1
N.	291ØØ3Ø46E	Ø9Ø2	61	1
O.	3ØØ2Ø3210E	Ø9Ø2	61	1
P.	2954Ø34ØØE	11Ø2	61	1
Q.	2826Ø3334E	11Ø2	61	1
R.	27Ø4Ø3352E	Ø9Ø2	64	1
S.	2554Ø324ØE	Ø9Ø2	64	1
T.	2352Ø33ØØE	Ø9Ø2	64	1
U.	2345Ø3536E	Ø9Ø2	64	1
V.	2617Ø3413E	Ø9Ø2	64	1
W.	274ØØ344ØE	Ø9Ø2	63	1
X.	2841Ø3428E	11Ø2	63	1
Y.	29ØØØ3448E	11Ø2	62	1
Z.	3Ø24Ø3552E	11Ø2	62	2
AA	3145Ø3607E	11Ø2	62	2
BB	3245Ø3608E	11Ø2	6Ø	2
CC	3334Ø3618E	1ØØ2	6Ø	2
DD	3346Ø3755E	1ØØ2	6Ø	2
EE	3416Ø3637E	1ØØ2	58	2
FF	3629Ø3648E	1ØØ2	58	2
GG	3458Ø3558E	1ØØ2	58	2
HH	36ØØØ3545E	1ØØ2	58	1
HOME		1ØØ2	58	1

ENTER 3100N 2900E 07:5
LV HH 1330

Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5

CFN:

Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5

25X1A [redacted]

A. 1519

B. 28 JULY 59

25X1A

C. [redacted]

D. REQUEST VERTICAL COVERAGE FOLG. FLT LINES: PTS C TO D, E TO F, G TO H, I TO J, K TO L, M TO N, O TO P, Q TO R, S TO T, U TO V, W TO X, Y TO Z, AA TO BB, CC TO DD, EE TO FF, GG TO HH.

25X1A [redacted] OPERATION AS FOLLOWS: ON (MODE2) PT C, OFF F; ON (MODE ONE) G, OFF P; (MODE 2) ALL FOLG PTS) ON Q, OFF R; ON S, OFF T; ON U, OFF V; ON W, OFF Z; ON AA, OFF HH.

E. (1) CONTROL TIME IS 0725Z AT POINT C.

(2) SELECT EMERGENCY AIRFIELDS IAW 25X1A [redacted] 8086.

(3) CONTRAIL TOPS 25X1A [redacted] 37000 AT 25X1A [redacted] RISING TO 40000 AT POINT B, 41500 AT POINTS F, U, AND Z. HIGHEST 25X1A [redacted] 42000 AT POINT R.

Approved For Release 2000/04/18 : CIA-RDP89B00551R000400170004-5